



Condensatori poliestere e polipropilene

condensatori poliestere metallizzato passo 5mm box



art.	V	μ	A	H	B	p
CP5102/100	100	1nf	7,2	6,5	2,5	5
CP5122/100	100	1,2nf	7,2	6,5	2,5	5
CP5152/100	100	1,5nf	7,2	6,5	2,5	5
CP5222/100	100	2,2nf	7,2	6,5	2,5	5
CP5222/400R	400	2,2nf	7,5	6,0	2,5	5
CP5332/100	100	3,3nf	7,2	6,5	2,5	5
CP5472/100	100	4,7nf	7,2	6,5	2,5	5
CP5562/100	100	5,6nf	7,2	6,5	2,5	5
CP5682/100	100	6,8nf	7,2	6,5	2,5	5
CP5103/63	63	10nf	7,2	6,5	2,5	5
CP5103/100	100	10nf	7,2	6,5	2,5	5
CP5153/63	63	15nf	7,2	6,5	2,5	5
CP5153/100	100	15nf	7,2	6,5	2,5	5
CP5223/100	100	22nf	7,2	6,5	2,5	5
CP5333/100	100	33nf	7,2	6,5	2,5	5
CP5393/100	63	39nf	7,2	6,5	2,5	5
CP5473/63	63	47nf	7,2	6,5	2,5	5
CP5473/100	100	47nf	7,2	6,5	2,5	5
CP5563/63	63	56nf	7,2	6,5	2,5	5
CP5683/100	100	68nf	7,2	6,5	2,5	5
CP5104/63	63	100nf	7,2	6,5	2,5	5
CP5154/50	50	150nf	7,2	6,5	2,5	5
CP5154/63	63	150nf	7,2	6,5	2,5	5
CP5224/63	63	220nf	7,2	6,5	2,5	5
CP5274/63	63	270nf	7,2	7,5	3,5	5
CP5334/63	63	330nf	7,2	7,5	3,5	5
CP5474/63	63	470nf	7,2	7,5	3,5	5
CP5684/63	63	680nf	7,2	9,5	4,5	5
CP5105/63	63	1 μ f	7,2	10	5	5


condensatori poliestere metallizzato box MKT



art.	V	μ	A	H	B	p
CPV224/63R	63	220nf	13	9	4	10
CPV394/63R	63	390nf	10	11,5	5	7,5
CPV474/63A	63	470nf	10,5	11	5	7,5
CPV684/63R	63	680nf	18	10	5	15
CPV225/63A	63	2,2 μ	18	12	6	15
CPV685/63A	63	6,8 μ	26,5	16	7	22,5
CPV122/100W	100	1,2nf	10	8,5	4	7,5
CPV103/100E	100	10nf	12	8	3,5	10
CPV153/100I	100	15nf	12	8,5	3,5	10
CPV183/100E	100	18nf	12	8,5	3,5	10
CPV473/100X	100	47nf	12	8,5	3,5	10
CPV683/100I	100	68nf	12,5	8,5	4	10
CPV334/100R	100	330nf	12,5	10,5	6	10
CPV334/100A	100	330nf	11	8,5	4	15
CPV334/100E	100	330nf	18	11	5	15
CPV474/100A	100	470nf	18	11	5	15

art.	V	μ	A	H	B	p
CPV564/100A	100	560nf	18	12	6	15
CPV564/100E	100	560nf	18	10,5	5	15
CPV105/100R	100	1 μ	12,5	17,5	10	10
CPV105/100A	100	1 μ	18	11	5	15
CPV155/100A	100	1,5	21	16	7	22,5
CPV225/100A	100	2,2 μ	18	14,5	8,5	15
CPV475/100AX	100	4,7 μ f	26,5	17	8,5	22,5
CPV475/100A	100	4,7 μ f	32	17	9	27,5
CPV106/100A	100	10 μ	32	20	11	27,5
CPV104/160AX	160	100nf	17,5	11	5	15
CPV274/160A	160	270nf	12,5	8,5	4	10
CPV334/160A	160	330nf	17	10	5	15
CPV105/160I	160	1 μ f	30	16	7	22,5
CPV106/160A	160	10 μ	30	16	7	22,5
CPV682/250A	250	6,8nf	13	9	4	10
CPV473/250A	250	47nf	13	9	4	10
CPV683/250A	250	68nf	13	9	4	10
CPV823/250A	250	82nf	13	9	4	10
CPV823/250X	250	82nf	17	9	4	15
CPV104/250A	250	100nf	18	11	5	15
CPV104/250AX	250	100nf	13	9	4	10
CPV154/250A	250	150nf	13	9	4	10
CPV154/252R	250	150nf	18	10,5	5,5	15
CPV224/250A	250	220nf	13	9	5	10
CPV274/400R	400	270nf	21	16	8	22,5
CPV225/400A	400	2,2 μ f	32	22	13	27,5
CPV152/630A	630	1,5nf	13	9	4	10
CPV272/630A	630	2,7nf	13	9	4	10
CPV392/630A	630	3,9nf	13	9	4	10
CPV472/630A	630	4,7nf	10	9	4	7,5
CPV682/630A	630	6,8nf	13	9	4	10
CPV103/630A	630	10nf	13	9	4	10
CPV103/630AX	630	10nf	13	9	4	10
CPV153/630A	630	15nf	13	9	4	10
CPV223/630A	630	22nf	13	9	4	10
CPV333/630A	630	33nf	13	9	5	10
CPV473/630A	630	47nf	18	11	5	15
CPV473/630R	630	47nf	18	11	5	15
CPV683/630A	630	68nf	18	12	6	15
CPV104/630AP15	630	100nf	18	13,5	7,5	15
CPV104/630A	630	100nf	21,5	15	6	22,5
CPV104/630E	630	100nf	21,5	15	6	22,5
CPV224/630A	630	220nf	26,5	16	7	22,5
CPV334/630A	630	330nf	32	17	9	27,5
CPV102/1000A	1000	1nf	13	9	4	10
CPV152/1000A	1000	1,5nf	13	9	4	10
CPV182/1000A	1000	1,8nf	13	9	4	10
CPV222/1000A	1000	2,2nf	13	9	4	10
CPV472/1000A	1000	4,7nf	13	11	4	10
CPV223/1000A	1000	22nf	17	13	8	15
CPV333/1000A	1000	33nf	21	15	6	22,5
CPV473/1000A	1000	47nf	21	15	6	22,5
CPV104/1000A	1000	100nf	21	18	10	22,5
CPV224/1000R	1000	220nf	32	17	9	27,5
CPV622/2000A	2000	6,2nf	25	17,5	8	22,5
CPV103/2000A	2000	10nf	26	18	10	22,5


condensatori poliestere metallizzato EPCOS



art.	V	μ	A	H	B	p
CPV155/100S	100	1,5 μ F	15	8	7	15
CPV223/250S	250	22nf	10	5	2	10
CPV333/250S	250	33nf	10	5	2	10
CPV683/250S	250	68nf	10	5	2	10


Condensatori poliestere e polipropilene

condensatori poliestere metallizzato




art.	V	μ	A	H	B	p
CPV183/63R	63	18nf	8	10,5	2,5	7,5
CPV153/100P	100	15nf	12,5	12	4	10
CPV104/100P	100	100nf	11	7	2,5	10
CPV154/100P	100	150nf	12,5	12	4	10
CPV184/100A	100	180nf	11	8,5	4	10
CPV224/100K	100	220nf	12,5	13	5	10
CPV334/100X	100	330nf	15	7,5	4	15
CPV474/100P	100	470nf	16	8,5	4	15
CPV105/100K	100	1 μ f	17,5	16,5	7,5	15
CPV225/100K	100	2,2 μ f	26	19,5	6,5	22,5
CPV335/100P	100	3,3 μ f	26	21	8,5	22,5
CPV475/100K	100	4,7 μ f	24	17	8	22,5
CPV393/250P	250	39nf	11	8	4	10
CPV563/250AX	250	56nf	11	8	2,5	10
CPV683/250AX	250	68nf	11	7	3,5	10
CPV104/250M	250	100nf	11	8	4	10
CPV124/250AX	250	120nf	15	7,5	4	15
CPV224/250P	250	220nf	16	8	4	15
CPV224/250X	250	220nf	11	11	6	10
CPV224/250PX	250	220nf	17,5	15	6	15
CPV474/250K	250	470nf	26	17,5	5,5	22,5
CPV564/250AX	250	560nf	22	10	5	22,5
CPV684/250D	250	680nf	23	16	6	22,5
CPV684/250P	250	680nf	24	13	6	22,5
CPV105/250K	250	1 μ f	26	19,5	7,5	22,5
CPV225/250X	250	2,2 μ f	28	14	8	27,5
CPV102/400AX	400	1nf	12,5	12	4	10
CPV122/400P	400	1,2nf	10	7	3,5	10
CPV152/400P	400	1,5nf	10	7	3,5	10
CPV272/400P	400	2,7nf	10	7	3,5	10
CPV332/400P	400	3,3nf	11	7	3	10
CPV392/400AX	400	3,9nf	11	8	3	10
CPV472/400P	400	4,7nf	10	7	3	10
CPV562/400P	400	5,6nf	10	7	3	10
CPV682/400P	400	6,8nf	10	7	3	10
CPV103/400X	400	10nf	12	9	4	10
CPV103/400P	400	10nf	11	7	3	10
CPV223/400K	400	22nf	10	8	3	10
CPV223/400P	400	22nf	12,5	12	4	10
CPV223/400X	400	22nf	12	9	4	10
CPV334/400P	400	330nf	22	13	4	22,5
CPV684/400P	400	680nf	30	20,5	8,5	27,5
CPV105/400K	400	1 μ f	30	22	10	27,5
CPV682/630AX	630	6,8nf	11	7	4	10
CPV103/630P	630	10nf	12,5	12,5	4,5	10
CPV103/630K	630	10nf	11	7	3	10
CPV473/630K	630	47nf	16	10	4	15
CPV104/630P	630	100nf	26	18	6	22,5
CPV224/630P	630	220nf	23	15	6	22,5
CPV334/630P	630	330nf	30	22	10	27,5

condensatori a film SANYO 50V



art.	μ	A	H	B	p
CP5471/50X	470pf	4	6	1	3,5
CP5561/50X	560pf	4	6	1	3,5
CP5681/50X	680pF	4	6	1	3,5
CP5821/50X	820pF	4	6	1	3,5
CP5152/50X	1,5nF	4	6	1	3,5
CP5332/50X	3,3nF	4	6	1	3,5
CP5392/50X	3,9nF	4	6	1	3,5
CP5272/50X	2,7nF	4	6	1	3,5
CP5562/50X	5,6nF	4	6	1	3,5
CP5682/50X	6,8nF	5	6	2	3,5
CP5822/50X	8,2nF	5	6	1	3,5
CP5123/50X	12nF	5	6	1	3,5
CP5153/50X	15nF	5	10	1	4
CP5183/50X	18Nf	5	7,5	2	3,5
CP5273/50X	27Nf	5	7,5	2	3,5
CP5393/50X	39Nf	5	7,5	2	5
CP5563/50X	56Nf	6	8	3	5
CP5683/50X	68Nf	7	7,5	3	5
CP5124/50X	120Nf	8	9	4	5

Condensatori mylar 100V




art.	μ	A	H	B	p
CPV102/100M	1nf	5	8	1	5
CPV122/100M	1,2nf	5	10	2	7,5
CPV182/100M	1,8nf	5	10	2	7,5
CPV332/100M	3,3nf	5	10	2	2,5
CPV392/100M	3,9nf	5	10	2	2,5
CPV822/100M	8,2nf	5	10	2	7,5
CPV103/100M	10nf	5	10	2	7,5
CPV153/100M	15nf	5	10	2	7,5
CPV183/100M	18nf	5	10	2	2,5
CPV473/100M	47nf	8	11	2,5	5
CPV124/100M	120nf	11	12	5	10
CPV154/100M	150nf	12	16	4	10
CPV184/100M	180nf	13	15	5	7,5
CPV274/50M	270nf*	10	12	4	10
CPV274/50M	270nf*	9	12	5	7,5
CPV334/50M	330nf*	10	12	7	7,5
CPV334/100M	330nf	17	17	8	12,5
CPV394/50M	390nf*	10	12	6	7,5
CPV474/100M	470nf	17	20	6	12,5

*50V

Condensatori poliesteri e polipropilene



condensatori in polipropilene R76 – R73 MKP



art.	V	μ	A	H	B	p
CPV473/160MKP	160	47nf	10	9,5	4,5	7,5
CPV333/250MKP	250	33nf	13	10,5	5,5	10
CPV474/250MKP	250	470nf	26,5	18,5	10,5	22,5
CPV682/400MKP	400	6,8nf	12,5	9	3,5	10
CPV223/400MKP	400	22nf	13	11,5	6,5	10
CPP105/400P27	400	1 μ	32	33	18	27,5
CPV221/630/73	630	220pf	13	8,5	3,5	10
CPV681/630A/73	630	680pf	13	9	4	10
CPV682/630MKP	630	6,8nf	13	9,5	4,5	10
CPV103/630MKP	630	10nf	13	9,5	4,5	10
CPV153/630MKP	630	15nf	13	11,5	6,5	10
CPV222/1000/76	1000	2,2nf	13	9	4	10
CPV222/1000/76	1000	2,2nf	18	11	5	15
CPV103/1000A/76	1000	10nf	18	12	6	15
CPV123/1000A/76	1000	12nf	18	12	6	15
CPV153/1000A/76	1000	15nf	18	13,5	7,5	15
CPV183/1000A/76	1000	18nf	18	12	6	15
CPV223/1000A/76	1000	22nf	18	14,5	8,5	15
CPV333/1000A/76	1000	33nf	26,5	16	7	22,5
CPV473/1000/76	1000	47nf	26,5	17	8,5	22,5
CPV683/1000/76	1000	68nf	26,5	18,5	10	22,5
CPV104/1000/76	1000	100nf	32	20	11	27,5
CPV332/1600/76	1600	3,3nf	18	12	6	15
CPV472/1600/76	1600	4,7nf	18	13,5	7,5	15
CPV472/1600MKP	1600	4,7nf	26,5	14,5	6,5	22,5
CPV562/1600/76	1600	5,6nf	18	13,5	7,5	15
CPV682/1600/76	1600	6,8nf	18	14,5	8,5	15
CPV822/1600/76	1600	8,2nf	26,5	15	6	22,5
CPV123/1600A/76	1600	12nf	26,5	16	7	22,5
CPV153/1600A/76	1600	15nf	26,5	16	7	22,5
CPV183/1600A/76	1600	18nf	26,5	17	8,5	22,5
CPV223/1600A/76	1600	22nf	26,5	18,5	10	22,5
CPV333/1600A/76	1600	33nf	26,5	20	11	22,5
CPV473/1600A/76	1600	47nf	32	22	13	27,5
CPV563/1600A/76	1600	56nf	32	22	13	27,5
CPV683/1600A/76	1600	68nf	32	24,5	15	27,5
CPV823/1600A/76	1600	82nf	32	24,5	15	27,5
CPV102/2000/76	2000	1nf	26,5	15	6	22,5
CPV152/2000/76	2000	1,5nf	26,5	15	6	22,5
CPV222/2000/76	2000	2,2nf	26,5	15	6	22,5
CPV332/2000/76	2000	3,3nf	26,5	15	6	22,5
CPV472/2000/76	2000	4,7nf	26,5	15	6	22,5
CPV562/2000/76	2000	5,6nf	26,5	15	6	22,5
CPV622/2000/76	2000	6,2nf	26,5	15	6	22,5
CPV682/2000/76	2000	6,8nf	26,5	15	6	22,5
CPV752/2000/76	2000	7,5nf	26,5	15	6	22,5
CPV822/2000/76	2000	8,2nf	26,5	15	6	22,5
CPV912/2000/76	2000	9,1nf	26,5	17	8,5	22,5
CPV103/2000/76	2000	10nf	26,5	17	8,5	22,5
CPV123/2000/76	2000	12nf	26,5	17	8,5	22,5
CPV153/2000/76	2000	15nf	26,5	18,5	10	22,5
CPV183/2000/76	2000	18nf	26,5	20	11	22,5
CPV223/2000/76	2000	22nf	32	20	11	27,5
CPV333/2000/76	2000	33nf	32	22	13	27,5
CPV623/2000/76	2000	62nf	32	33	18	27,5


confezione 20 pezzi escluso stock

condensatori in polipropilene classe X2




art.	Vac	μ	A	H	B	p
CP3103/275	275	10nf	12	10	4	10
CP3223/250	250	22nf	18	10	5	15
CP3333/275	275	33nf	17	10	4	15
CP3473/275	275	47nf	17	10	4	15
CP3104/275	275	100nf	17	12	5	15
CP3104/275A	275	100nf	18	12	6	15
CP3224/275	275	220nf	18	15	10	15
CP3224/275A	275	220nf	18	15	10	22,5
CP3334/275	275	220nf	26,5	18	8,5	22,5
CP3474/275	275	470nf	25	17,5	10	22,5
CP3474/275X	275	470nf	31	16,5	8	27,5
CP3105/275	275	1 μ f	32	19	10	27,5

condensatori in polipropilene classe Y2 R41



art.	Vac	μ	A	H	B	p
CPY222/250/Y	250	22nf	13	9	4	10
CPV473/250/73Y	250	47nf	18	10	5	15
CPY104/250	300	100nf	26,5	18	10	22,5


filtri RC 1.43 100 Ω con cavetto flessibile



art.	V	μ	A	H	B	p
CP2254/400C	400	0,25	26,5	16	7	22,5
CP2104/630C	630	0,1	26,5	16	7	22,5
CP2474/630C	630	0,47	32	22	13	27,5

Condensatori poliestere e polipropilene



condensatori in poliestere assiali 1.50



art.	V	μ	L	H	b	d
CPA331/50	50	330pf	11	40	5	0,5
CPA473/63	63	47nf	11	40	5	0,5
CPA474/63	63	470nf	14	40	7	0,5
CPA684/63	63	680nf	14	40	7	0,5
CPA475/63	63	4,7 μ f	28	40	12,5	0,5
CPA106/63	63	10 μ f	33	40	15,5	0,5
CPA104/100	100	100nf	11	40	5	0,5
CPA154/100	100	150nf	11	40	5	0,5
CPA224/100	100	220nf	11	40	5	0,5
CPA474/100	100	470nf	14	40	6,5	0,5
CPA684/100	100	680nf	14	40	7	0,5
CPA105/100	100	1 μ f	20,5	40	7	0,5
CPA475/100	100	4,7 μ f	33	40	11	0,5
CPA103/160	160	10nf	11	40	5	0,5
CPA273/250	250	27nf	11	40	5	0,5
CPA333/250	250	33nf	11	40	5	0,5
CPA473/250	250	47nf	11	40	5	0,5
CPA104/250	250	100nf	14	40	5,5	0,5
CPA154/250	250	150nf	14	40	6	0,5
CPA474/250	250	470nf	20,5	40	7,5	0,5
CPA105/250	250	1 μ f	28	40	9	0,5
CPA155/250	250	1,5 μ f	28	40	11	0,5
CPA221/400	400	220pf	11	40	5	0,5
CPA223/400	400	22nf	11	40	5	0,5
CPA473/400	400	47nf	14	40	6	0,5
CPA154/400	400	150nf	20,5	40	6,5	0,5
CPA225/400	400	2,2 μ f	33	40	16	0,5
CPA152/630	630	1,5nf	11	40	5	0,5
CPA222/630	630	2,2nf	11	40	5	0,5
CPA332/630	630	3,3nf	11	40	5	0,5
CPA472/630	630	4,7nf	11	40	5	0,5
CPA682/630	630	6,8nf	11	40	5	0,5
CPA333/630	630	33nf	20,5	40	6,5	0,5
CPA104/630	630	100nf	28	40	7,5	0,5
CPA154/630	630	150nf	28	40	9	0,5
CPA224/630	630	220nf	28	40	10,5	0,5
CPA224/630AX	630	220nf*	28	40	10,5	0,5
CPA105/630	630	1 μ f	33	40	18,5	0,5
CPA472/1000	1000	4,7nf	14	40	6,5	0,5
CPA103/1000	1000	10nf	20,5	40	7,5	0,5
CPA104/1000	1000	100nf	28	40	13	0,5
CPA152/1250	1250	1,5nf	15	40	5	0,5
CPA103/1250	1250	10nf	18,5	40	5,5	0,5
CPA154/1500	1500	150nf	32	40	18	0,5

* reofori per montaggio verticale

condensatori polipropilene di precisione




tolleranza 1,25%

art.	V	valore	L	H	D	P
CP16/2150/63A	63	2150pf	16	30	6	12,5
CP16/2610/63A	63	2610pf	17	30	5	12,5
CP16/3240/63AX	63	3240pf*	18	30	5,5	12,5
CP16/50500/63A	63	50,5nf	17	30	10	12,5
CP16/55900/63A	63	55,9nf	21,5	30	9	16,5
CP16/83000/63A	63	83nf	22	30	10	16,5
CP16/222000/63A	63	222nf	26,5	30	15	22,5
CP16/1000/100A	100	1nf	16	30	6,5	12,5
CP16/1000/100F	100	1nf	18	30	5,5	12,5
CP16/1194/100A	100	1,194nf	16	30	6,5	12,5
CP16/1194/100F	100	1,194nf	17	30	6,5	12,5
CP16/1257/100A	100	1,257nf	17	30	5,5	12,5
CP16/1391/100A	100	1,391nf	18	30	5,5	12,5
CP16/1540/100A	100	1,54nf	17	30	6	12,5
CP16/1580/100A	100	1,58nf	17	30	5,5	12,5
CP16/1660/100A	100	1,66nf	17	30	6	12,5
CP16/1660/100F	100	1,66nf	18	30	6,5	12,5
CP16/1740/100A	100	1,74nf	16	30	6,5	12,5
CP16/1740/100F	100	1,74nf	17	30	5	12,5
CP16/1785/100A	100	1,785nf	17	30	6	12,5
CP16/2030/100A	100	2,03nf	17	30	6	12,5
CP16/2030/100D	100	2,03nf	16	30	6,5	12,5
CP16/2080/100A	100	2,08nf	16	30	5,5	12,5
CP16/2140/100A	100	2,14nf	16	30	6,5	12,5
CP16/2140/100M	100	2,14nf	18	30	5	12,5
CP16/2190/100A	100	2,19nf	18	30	6	12,5
CP16/2190/100F	100	2,19nf	17	30	5,5	12,5
CP16/2300/100A	100	2,3nf	17	30	6,5	12,5
CP16/2420/100A	100	2,42nf	16	30	6,5	12,5
CP16/2750/100A	100	2,75nf	16	30	5	12,5
CP16/2750/100F	100	2,75nf	18	30	5,5	12,5
CP16/3120/100A	100	3,28nf	16	30	6	12,5
CP16/3120/100F	100	3,28nf	17	30	6	12,5
CP16/3280/100A	100	3,12nf	16	30	6	12,5
CP16/3365/100A	100	3,365nf	16	30	5,5	12,5
CP16/3980/100F	100	3,98nf	17	30	6,5	12,5
CP16/4335/100A	100	4,335nf	17	30	6	12,5
CP16/4565/100A	100	4,565nf	16	30	6	12,5
CP16/4680/100F	100	4,68nf	17	30	6,5	12,5
CP16/4920/100A	100	4,92nf	17	30	6	12,5
CP16/4920/100F	100	4,92nf	17	30	5,5	12,5
CP16/5050/100A	100	5,05nf	18	30	6	12,5
CP16/5050/100F	100	5,05nf	17	30	7	12,5
CP16/5180/100A	100	5,18nf	17	30	6	12,5
CP16/5450/100A	100	5,45nf	17	30	6	12,5
CP16/5590/100A	100	5,59nf	17,5	30	6,5	12,5
CP16/7020/100F	100	7,02nf	17	30	6	12,5
CP16/7570/100A	100	7,57nf	17,5	30	7,5	12,5
CP16/9270/100A	100	9,27nf	17,5	30	7,5	12,5
CP16/10260/100M	100	10,26nf	17,5	30	6,5	12,5
CP16/11070/100F	100	11,07nf	17,5	30	7	12,5
CP16/11640/100A	100	11,64nf	17	30	7	12,5
CP16/11640/100F	100	11,64nf	17	30	7,5	12,5
CP16/12900/100A	100	12,9nf	16	30	6,5	12,5
CP16/13570/100A	100	13,57nf	17,5	30	6,5	12,5
CP16/14620/100A	100	14,62nf	16	30	7,5	12,5
CP16/14620/100F	100	14,62nf	17	30	6,5	12,5
CP16/14620/100M	100	14,62nf	22	30	8	16,5

* tolleranza 0,625%

condensatori in polipropilene assiali 1.72



art.	Vca	μ	L	H	b	d
CPA332/250/72	250	3,3nf	20	40	10	0,5
CPA104/250/72	250	100nf	27,5	40	12,5	0,5
CPA224/250/72	250	220nf	44	40	13	0,5
CPA334/250/72	250	330nf	44	40	13	0,5
CPA104/400/72	400	100nf	32	40	13	0,5

Condensatori poliestere e polipropilene

art.	V	μ	L	H	D	P	art.	V	μ	L	H	D	P
CP16/16200/100A	100	16,2nf	17,5	30	7,5	12	CP16/838/250A	250	838pf	16	30	5,5	12,5
CP16/16200/100F	100	16,2nf	17	30	5,5	12,5	CP16/838/250F	250	838pf	18	30	4	12,5
CP16/18300/100M	100	18,3nf	17	30	6,5	12,5	CP16/904/250F	250	904pf	17	30	5,5	12,5
CP16/19800/100A	100	19,8nf	17,5	30	7,5	12,5	CP16/2030/250F	250	2,03nf	17	30	6,5	12,5
CP16/19800/100F	100	19,8nf	17	30	6,5	12,5	CP16/2080/250F	250	2,08nf	18	30	6,5	12,5
CP16/23000/100A	100	23nf	22,5	30	8	16,5	CP16/2190/250A	250	2,19nf	17	30	6,5	12,5
CP16/23000/100F	100	23nf	22	30	7,5	16,5	CP16/2750/250A	250	2,75nf	17	30	6	12,5
CP16/24850/100A	100	24,85nf	22,5	30	8,5	16,5	CP16/3450/250A	250	3,45nf	16	30	6	12,5
CP16/25500/100A	100	25,5nf	22	30	7,5	16,5	CP16/5180/250A	250	5,18nf	17	30	6	12,5
CP16/31200/100A	100	31,2nf	23	30	8,5	16,5	CP16/7200/250F	250	7,2nf	22	30	9	18,5
CP16/35400/100F	100	35,4nf	22	30	9,5	16,5	CP16/8590/250F	250	8,59nf	22,5	30	9	18,5
CP16/36300/100A	100	36,3nf	21,5	30	9	16,5	CP16/8810/250A	250	8,81nf	22,5	30	7,5	16,5
CP16/37250/100A	100	37,25nf	22	30	9	16,5	CP16/13570/250A	250	13,57nf	22,5	30	10,5	14,5
CP16/50500/100A	100	50,5nf	22	30	9,5	16,5	CP16/15000/250A	250	15nf	22,5	30	7,5	16,5
CP16/51800/100A	100	51,8nf	22	30	10,5	16,5	CP16/16200/250A	250	16,2nf	22	30	12	16,5
CP16/58800/100A	100	58,8nf	27	30	8,5	22,5	CP16/16600/250F	250	16,6nf	22,5	30	12,5	20
CP16/74100/100A	100	74,1nf	27,5	30	10,5	22,5	CP16/17000/250A	250	17nf	22	30	7,5	16,5
CP16/174000/100A	100	174nf	31	30	12	26,5	CP16/17200/250A	250	17,2nf	22,5	30	8	16,5
CP16/230000/100A	100	230nf	32	30	13,5	26,5	CP16/19800/250A	250	19,8nf	21,5	30	7	16,5
CP16/242000/100A	100	242nf	32	30	13,5	26,5	CP16/20500/250F	250	20,5nf	22,5	30	10	18,5
CP16/248500/100A	100	248,5nf	31,5	30	12,5	26,5	CP16/22450/250A	250	22,45nf	22	30	8	16,5
CP16/268000/100A	100	268nf	38	30	15	31,5	CP16/36300/250A	250	36,3nf	27	30	8,5	22,5
CP16/289000/100A	100	289nf	38	30	14	31,5	CP16/36300/250F	250	36,3nf	26,5	30	9,5	22,5
CP16/296500/100A	100	296nf	38	30	14	31,5	CP16/44500/250F	250	44,5nf	27,5	30	10,5	22,5
CP16/402000/100A	100	402nf	48	30	15	40,5	CP16/49200/250F	250	49,2nf	27	30	10	22,5
CP16/412000/100A	100	412nf	48	30	15	40,5	CP16/50500/250F	250	50,5nf	27,5	30	10,5	22,5
CP16/1194/125M	125	1,194nf	16	30	5,5	12,5	CP16/116400/250F	250	116,4nf	37,5	30	17	31,5
CP16/1257/125F	125	1,257nf	17	30	5,5	12,5	CP16/139100/250F	250	139,1nf	38	30	15	31,5
CP16/1540/125F	125	1,54nf	17	30	6	12,5	CP16/170000/250A	250	170nf	47	30	14	40,5
CP16/1740/125F	125	1,74nf	17	30	6	12,5	CP16/214000/250A	250	214nf	48	30	15	40,5
CP16/1785/125F	125	1,785nf	17	30	5,5	12,5	CP16/363000/250F	250	363nf	27	30	9,5	22,5
CP16/2080/125F	125	2,08nf	17	30	6	12,5	CP16/113.5/630AX	630	113,5pf*	17	30	5,5	12,5
CP16/2190/125F	125	2,19nf	17	30	5	12,5	CP16/150/630A	630	150pf	17	30	5,5	12,5
CP16/2300/125F	125	2,3nf	17	30	6,5	12,5	CP16/203/630A	630	203pf	17,5	30	5	12,5
CP16/2420/125F	125	2,42nf	17	30	6	12,5	CP16/214/630A	630	214pf	17	30	5	12,5
CP16/2420/125M	125	2,42nf	17	30	6	12,5	CP16/304/630A	630	304pf	17	30	5,5	12,5
CP16/2680/125F	125	2,68nf	22,5	30	8	18,5	CP16/328/630A	630	328pf	17	30	5,5	12,5
CP16/2750/125F	125	2,75nf	17	30	6	12,5	CP16/351/630A	630	351pf	17	30	5,5	12,5
CP16/3040/125F	125	3,04nf	17	30	5,5	12,5	CP16/392/630A	630	392pf	16	30	6,5	12,5
CP16/3280/125F	125	3,28nf	16,5	30	6	12,5	CP16/445/630A	630	445pf	17	30	6	12,5
CP16/5180/125F	125	5,18nf	17	30	6	12,5	CP16/838/630M	630	838pf	17	30	6,5	12,5
CP16/6180/125F	125	6,18nf	18	30	5,5	12,5	CP16/859/630F	630	859pf	17	30	5,5	12,5
CP16/7020/125F	125	7,02nf	17	30	6,5	12,5	CP16/881/630A	630	881pf	17	30	6,5	12,5
CP16/7200/125F	125	7,2nf	17,5	30	6,5	12,5	CP16/1580/630A	630	1,58nf	17	30	6,5	12,5
CP16/7570/125F	125	7,57nf	18	30	6,5	12,5	CP16/22450/630A	630	22,45nf	31,5	30	12,5	25,5
CP16/8810/125F	125	8,81nf	17,5	30	6,5	12,5	CP16/28200/630F	630	28,2nf	31,5	30	12,5	26,5
CP16/11070/125F	125	11,07nf	17,5	30	8	12,5	CP16/55900/630F	630	55,9nf	38	30	17	32,5
CP16/12900/125F	125	12,9nf	17,5	30	7,5	12,5	CP16/79700/630A	630	79,7nf	48	30	16	40,5
CP16/13570/125F	125	13,57nf	17	30	7,5	12,5	CP16/116400/630F	630	116,4nf	48	30	17	40,5
CP16/16200/125F	125	16,2nf	17,5	30	8	12,5	CP16/174000/630A	630	174nf	48	30	18,5	40,5
CP16/16200/125M	125	16,2nf	17	30	8	12,5	CP16/193000/630A	630	193nf	48	30	23	40,5
CP16/19800/125F	125	19,8nf	17	30	8	12,5	CP16/113.5/750F	750	113,5pf	18	30	6,5	12,5
CP16/19800/125M	125	19,8nf	16,5	30	7,5	12,5	CP16/146.5/750MX	750	146,5pf**	17	30	5,5	12,5
CP16/20800/125F	125	20,8nf	22	30	7,5	16,5	CP16/150/750F	750	150pf	17	30	5,5	12,5
CP16/23000/125F	125	23nf	22,5	30	7	16,5	CP16/198/750F	750	198pf	17	30	5,5	12,5
CP16/25500/125F	125	25,5nf	22,5	30	7,5	16,5	CP16/203/750F	750	203pf	18	30	6,5	12,5
CP16/37250/125F	125	37,25nf	22,5	30	6,5	16,5	CP16/214/750M	750	214pf	16	30	5,5	12,5
CP16/50500/125A	125	50,5nf	22,5	30	7,5	16,5	CP16/304/750F	750	304pf	18	30	6,5	12,5
CP16/51800/125F	125	51,8nf	22,5	30	8,5	16,5	CP16/328/750F	750	328pf	17	30	5,5	12,5
CP16/88100/125F	125	88,1nf	27	30	9,5	22,5	CP16/445/750F	750	445pf	17	30	5,5	12,5
CP16/107900/125F	125	107,9nf	27,5	30	13,5	22,5	CP16/600/750M	750	600pf	16	30	8	12,5
CP16/116400/125F	125	116,4nf	32,5	30	9	27,5	CP16/603/750M	750	603pf	16	30	8	12,5
CP16/268000/125M	125	268nf	37	30	16	31,5	CP16/604/750M	750	604pf	16	30	8	12,5
CP16/2700/160R	160	2,7nf*	8	30	4	2	CP16/738/750F	750	738pf	17	30	6,5	12,5
CP16/634/250F	250	634pf	18	30	5,5	12,5	CP16/859/750F	750	859pf	17	30	6,5	12,5
CP16/702/250A	250	702pf	18	30	5,5	12,5	CP16/881/750F	750	881pf	17	30	6,5	12,5
CP16/702/250F	250	702pf	17	30	5,5	12,5	CP16/951/750F	750	951pf	18	30	5,5	12,5
CP16/702/250M	250	702pf	17	30	5,5	12,5	CP16/1052/750XM	750	1,052nf*	17	30	5,5	12,5
CP16/747/250F	250	757pf	17	30	6,5	12,5							


* tolleranza 2,5% **2%

Condensatori poliestere e polipropilene

art.	V	μ	L	H	D	P
CP16/1164/750M	750	1,164nf	17	30	5,5	12,5
CP16/1164/750XM	750	1,164nf*	16	30	5,5	12,5
CP16/3200/750F	750	3,2nf	22,5	30	8,	16,5
CP16/13570/750F	750	1,357nf	27,5	30	10,5	22,5
CP16/28200/750M	750	28,2nf	31,5	30	13,5	25,5
CP16/30400/750F	750	30,4nf	32,5	30	12,5	26,5
CP16/107900/750M	750	107,9nf	46,5	30	21,5	40,5

* tolleranza 2,5%


condensatori in polipropilene di precisione assiali tolleranza 1%



art.	V	μ	L	H	b	d
CP45/3300/63A	63	3,3nf	16	40	5	0,5
CP45/18000/63A	63	18nf	15	40	10	0,5
CP45/56000/63AX	63	56nf*	22,5	40	8,5	0,5
CP45/10000000/63F	63	10 μ f	31,5	40	12,5	0,5
CP45/220000/100F	100	220nf	17	40	5	0,5
CP45/220000/100T	100	220nf	17	40	6,5	0,5
CP45/3980/125F	125	3,98nf	17	40	5	0,5
CP45/596000/160	160	596nf	28	40	15	0,5
CP45/820000/160F	160	820nf**	17	40	8,5	0,5
CP45/2190/250F	250	2,19nf*	18	40	6,5	0,5
CP45/3980/250A	250	3,98nf*	17	40	6,5	0,5
CP45/6800/250AX	250	6,8nf	12	40	5	0,5

* tolleranza 1,25% ** tolleranza 2%

condensatori in polipropilene di precisione



art.	V	μ	tol.	A	H	B	p
			%				
CP42/130/63DX	63	130pf	1	7	13	7	7,5
CP42/150/63A	63	150pf	1	7	13	7	7,5
CP42/820/63DX	63	820pf	5	7	13	7	7,5
CP42/1910/63D	63	1,91nf	1,25	7	13	7	7,5
CP42/1910/63F	63	1,91nf	1,25	7	13	7	7,5
CP42/3090/63D	63	3,09nf	1,25	7	13	7	7,5
CP42/4020/63A	63	4,02nf	1,25	7	13	7	7,5
CP42/4530/63D	63	4,53nf	1,25	7	13	7	7,5
CP42/4990/63A	63	4,99nf	1,25	7	13	7	7,5
CP42/4990/63M	63	4,99nf	1,25	7	13	7	7,5
CP42/6490/63D	63	6,49nf	1,25	7	13	7	7,5
CP42/7800/63DX	63	7,8nf	0,625	7	13	7	7,5
CP42/7870/63D	63	7,87nf	1,25	7	13	7	7,5
CP42/8600/63DX	63	8,6nf	0,625	7	13	7	7,5
CP42/13700/63F	63	13,7nf	1,25	7	13	7	7,5
CP42/17400/63F	63	17,4nf	1,25	7	13	7	7,5
CP42/22100/63P	63	22,1nf	1	10	13	10	10
CP42/28800/63F	63	28,8nf	1,25	12	17	12	10
CP42/33000/63F	63	33nf	1,25	12	17	12	10
CP42/55600/63M	63	56nf	1,25	15	22	15	15

condensatori poliestere a piastrina tolleranza 2%



art.	μ f	Vl	Vp
CP46/5100/5000	510	2500	5000

condensatori in polipropilene MKP 1.44/A




art.	V	μ	diametro	altezza
CP9406/850	850	40 μ f	77mm	140mm

condensatori in polipropilene MKP 1.44/1



art.	V	μ	diametro	altezza
CP9104/1200X	1200	0,1 μ f	25mm	63mm
CP9334/1200	1200	0,33 μ f	25mm	63mm

condensatori in polipropilene MKP 1.44/2



art.	V	μ	L	H	b	d
CP9156/700	700	1,5 μ f	44	40	20	0,5
CP9104/1200	1200	0,1 μ f	32	40	13,5	0,5
CP9224/1200	1200	0,22 μ f	44	40	20	0,5